

Schweisssbarkeit von Thermoplasten mit Ultraschall

	Amorph															Teilkristallin														
	ABS	ABS/PC	ABS/PVC	Acryll PMMA	Styrol-Butadien SB	Polyimid PI	PC	PC/PET	Polyester-PET	Polyethersulfon PES	Polystyrol PS	Polysulfon PSU	PPO (Noryl)	PVC	SAN-ASA	Acetal POM	Cellulose CA	LCP	PEEK	Polyamid PA	Polyester PBT	Polyethylen PE	Polyphenylensulfid PPS	Polyprpylen PP	PTFE Mod.					
Amorph																														
ABS																														
ABS/PC																														
ABS/PVC																														
Acryll PMMA																														
Styrol-Butadien SB																														
Polyimid PI																														
PC																														
PC/PET																														
Polyester-PET																														
Polyethersulfon PES																														
Polystyrol PS																														
Polysulfon PSU																														
PPO (Noryl)																														
PVC																														
SAN-ASA																														
Teilkristallin																														
Acetal POM																														
Cellulose CA																														
LCP																														
PEEK																														
Polyamid PA																														
Polyester PBT																														
Polyethylen PE																														
Polyphenylensulfid PPS																														
Polypropylen PP																														
PTFE Mod.																														



Gute Verschweisssbarkeit untereinander



Bedingte Verschweisssbarkeit